

DEPARTMENT OF DEFENSE INDEX OF
SPECIFICATIONS AND STANDARDS

DODISS NOTICE

15 MAY 2001 / FOR PERIOD 1 MAY 2001 TO 14 MAY 2001 / VOL. 9/ NO. 01

ATTENTION

The DODISS NOTICE is published on the 1st and 15th of each month by the DODSSP. A Portable Document Format (PDF) version is posted within two business days of publication to our web site DODISS Notice page at:

<http://dodssp.daps.mil/dodiss.htm>

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Document Automation and Production Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated. DOD documents are available after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

As of October 1, 2000, copies of non-government standards adopted by the Department of Defense (DoD) are no longer available from the DoD Single Stock Point. Adoption notices will continue to be used to signify DoD usage of a non-government standard, to identify a responsible DoD point of contact, and to give the standard visibility by including it in the ASSIST database and the DoD Index of Specifications and Standards. On 31 October 2000 we began updating all DOD adoption notices to comply with current DPSO Policy Memo 00-01, dated 15 May 2000, this effort will continue until all adoption notices meet current policy.

ACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-F-50828F(5)	FUZE, MULTI-OPTION: M734 (LESS BOOSTER AND LEAD)[CUST: AR]	D 1390		AR		04-APR-01
M MIL-F-71149(7)	FUZE, POINT DETONATING, PRACTICE, M779 WITH PYROTECHNIC SIGNATURE CARTRIDGE[CUST: AR]	A 1390		AR		05-MAR-01
M QPL-781-13	TERMINAL, WIRE ROPE, SWAGING	A 1560		GS5		07-MAY-01
M MIL-PRF-13719E(1)	HOSE ASSEMBLY, RUBBER, HYDRAULIC BRAKE[CUST: AT MC CC] [REVIEW: SA]	A 2530		CC		10-MAR-01
M GGG-C-475B NOT 2	CLIPPERS, HAIR, HAND[CUST: MR AS 11] [REVIEW: CG MC MD MS]	A 3590	/	IS		08-MAY-01
M QPL-18375-5	WIRE, ROPE, FLEXIBLE, CORROSION-RESISTING, NONMAGNETIC, FOR AIRCRAFT CONTROL	A 4010		GS5		07-MAY-01
M QPL-87161-5	WIRE, STRAND, NONFLEXIBLE, FOR AIRCRAFT APPLICATION	A 4010		GS5		07-MAY-01
M MIL-F-68F(2) NOT 1	FAN, CIRCULATING, BRACKET NONOSCILLATING, NAVAL SHIPBOARD[CUST: SH]	A 4140		IS		08-MAY-01
M MIL-B-23071C(3) NOT 1	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT GENERAL SPECIFICATION FOR[CUST: CR4 EC 99] [REVIEW: 11 AS CC MC MI OS SH]	A 4140		IS		08-MAY-01
M MIL-B-23071/3B NOT 2	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT CENTRIFUGAL (50 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 82 AS MI]	A 4140		IS		08-MAY-01
M MIL-B-23071/8C(1) NOT 1	BLOWERS, MINIATURE, FOR COOLING ELECTRONIC EQUIPMENT TUBE AXIAL (69 AND 60 WATTS INPUT POWER)[CUST: CR4 EC 99] [REVIEW: 11 70 82 AS SH]	A 4140		IS		08-MAY-01
M QPL-24135-34	HOSE, SYNTHETIC RUBBER, WIRE REINFORCED, REUSABLE, FOR FLEXIBLE HOSE ASSEMBLIES GENERAL SPECIFICATION FOR	A 4720		SH		11-APR-01
M SAE-AS2078	HOSE ASSEMBLIES, POLYTETRAFLUOROETHYLENE (PTFE), TEST METHODS[CUST: AV AS 99 CC] [REVIEW: 70 71 AT MC MI SA SH]	A 4720		CC		30-MAR-01
M MS27234B(1)	ELBOW TUBE, 90 DEG. (USED ON MS27224 AND MS27228 HOSE TO TUBE ADAPTERS)[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A 4730		CC		06-APR-01
M MS27235C(1)	ELBOW TUBE, 45 DEG (USED ON MS27226 AND MS27230 HOSE TO TUBE ADAPTERS)[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A 4730		CC		06-APR-01
M MS27236A(1)	SHOULDER-DESIGNED FOR 45 DEG. AND 90 DEG. SWIVEL NUT HOSE TO TUBE ADAPTERS, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A 4730		CC		06-APR-01
M MS27237E	SHOULDER, SWIVEL FLANGE, ADAPTER, HOSE TO TUBE, HYDRAULIC FUEL AND OIL LINES, 1/2 THROUGH 3 IN. TUBING SIZES[CUST: AT AS 99 CC] [REVIEW: 11 82 AV MC SA]	A 4730		CC		06-APR-01
M MS27238A(1)	WIRE, NUT RETAINING, DESIGNED FOR ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A 4730		CC		06-APR-01
M MS27239D(1)	NIPPLE, ADAPTER, HOSE TO TUBE, REUSABLE, HYDRAULIC, FUEL AND OIL LINES, 1/4 THROUGH 3 IN. TUBE SIZES[CUST: AT AS 99 CC] [REVIEW: 11 70 71 AV MC SA]	A 4730		CC		06-APR-01
M QPL-24136-33	HOSE, SYNTHETIC RUBBER, SYNTHETIC FIBER REINFORCED FOR FLEXIBLE HOSE ASSEMBLIES, GENERAL SPECIFICATION FOR	A 4730		SH		11-APR-01
N SAE-AS3220	ALUMINUM - SLEEVE, FLARED, TUBE FITTING[CUST: AV AS 99 CC] [REVIEW: 70 71 GL MI SA]	A 4730		CC		30-MAR-01
M A-A-55543A	GUN, AIR BLOW, (BLAST CLEANING)[CUST: AR AS 99 CC] [REVIEW: 82]	A 4940	/	CC		02-MAY-01
N NASM27120	CLEVIS, ROD END TURNBUCKLE (GENERAL PURPOSE)[CUST: AR IS]	A 5340		IS		2001
N SAE-MA14489	CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC[CUST: AR 99 IS]	A 5340		IS		2001
M MIL-PRF-19978/13A(1)	CAPACITORS, FIXED, PLASTIC DIELECTRIC, AXIAL-WIRE TERMINAL, TUBULAR (INSULATED) (HERMETICALLY SEALED IN METAL CASES), ESTABLISHED RELIABILITY, STYLE QCR29[CUST: CR EC 11 CC] [REVIEW: 19 99 MC]	A 5910		CC		26-APR-01
M MIL-PRF-49467B	CAPACITOR, FIXED, CERAMIC, MULTILAYER, HIGH VOLTAGE (GENERAL PURPOSE), GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AT AV CR4 MC MI]	A 5910		CR		02-MAY-01
M MIL-PRF-15160/16D	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F16[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A 5920		CC		04-MAY-01
M MIL-PRF-15160/19D	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F19[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS]	A 5920		CC		04-MAY-01
M MIL-PRF-15160/20D	FUSES, INSTRUMENT, POWER, AND TELEPHONE (NONINDICATING), STYLE F20[CUST: CR SH 11 CC] [REVIEW: 19 99 AR AS AT CG CR4 MC MI OS YD]	A 5920		CC		04-MAY-01
M A-A-55459B	INTERRUPTER, GROUND FAULT, TWO-POLE, THREE-WIRE, 20-AMPERE[CUST: EC CC]	A 5925	/	CC		27-APR-01
M MIL-PRF-22710/11F	SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NON-SEALED, ILLUMINATED OR NON-ILLUMINATED), STYLE SRPC11[CUST: CR EC 11 CC] [REVIEW: AS CR4 MC MI OS SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/12F	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, ILLUMINATED OR NON-ILLUMINATED), (TOP RELAMPABLE), STYLE SRPC12[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/14F	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, INTEGRAL BEZEL, NON-SEALED, NON-ILLUMINATED) STYLE SRPC14[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/15H	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, ILLUMINATED OR NON-ILLUMINATED), (TOP, BOTTOM, OR REAR RELAMPABLE), STYLE SRPC15[CUST: CR EC 11 CC] [REVIEW: 99 AS CR4 MC MI OS SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/17J	SWITCHES, CODE, INDICATING WHEEL (PRINTED CIRCUIT) PUSHBUTTON, SEALED, EMI/RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, STYLE SRPC17[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC MI]	A 5930		CC		20-APR-01
M MIL-PRF-22710/18G	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (PUSHBUTTON, BIDIRECTIONAL, SEALED OR UNSEALED, EMI/RFI SHIELDED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC18-1 AND -2[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/20D	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (THUMBWHEEL SWITCH ASSEMBLY, SEALED MODULES, DUAL-ILLUMINATED) (RFI SHIELDED) (TOP AND BOTTOM RELAMPABLE), STYLE SRPC20[CUST: CR EC 11 CC] [REVIEW: AS CR4 MC MI SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/23D	SWITCHES, CODE INDICATING WHEEL (PRINTED CIRCUIT), (PUSHBUTTON, UNIDIRECTIONAL, SEALED OR UNSEALED, ILLUMINATED, (SIDE RELAMPABLE) OR NON ILLUMINATED, STYLE SRPC23[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/24B	SWITCHES, ROTARY (PRINTED CIRCUIT) (TOGGLE, BIDIRECTIONAL, SEALED, ILLUMINATED OR NONILLUMINATED) STYLE SRPC24[CUST: CR EC 11 CC] [REVIEW: 99 AR CR4 MC MI SM]	A 5930		CC		20-APR-01
M MIL-PRF-22710/30A	SWITCHES, ROTARY (PRINTED CIRCUIT), PUSHBUTTON BIDIRECTIONAL, SEALED, HIGH SHOCK, RFI SHIELDED, ILLUMINATED OR NONILLUMINATED, LOW LEVEL, STYLE SRPC30[CUST: CR EC 11 CC] [REVIEW: 99 AR AS CR4 MC SM]	A 5930		CC		20-APR-01
M MIL-PRF-49142A(2)	CONNECTOR, TRIAXIAL, RADIOFREQUENCY, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS AT MC MI OS SH]	A 5935		CC		11-APR-01
M MIL-DTL-24308/23E	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, SOCKET CONTACTS, PRINTED WIRING BOARD TERMINATION TYPES[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A 5935		CC		04-APR-01
M MIL-DTL-24308/24F	CONNECTORS, ELECTRIC, RECTANGULAR, NONENVIRONMENTAL, MINIATURE, POLARIZED SHELL, RACK AND PANEL, PIN CONTACTS PRINTED WIRING BOARD TERMINATION TYPES[CUST: CR EC 11 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A 5935		CC		04-APR-01

ACTIVE SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/407C(1)	SEMICONDUCTOR DEVICE, TRANSISTOR, NPN, SILICON, POWER TYPE 2N3055 JAN, JANTX AND JANTXV[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS AV CG MC MI SM]	A	5961		CC	16-FEB-01
N	MIL-PRF-19500/652	SEMICONDUCTOR DEVICE, TRANSISTOR, HIGH VOLTAGE, FIELD EFFECT, N-CHANNEL, SILICON, TYPE 2N7387 AND 2N7387U1, JAN, JANTX, JANTXV, AND JANS[CUST: CR NW 11 CC NA]	A	5961		CC	04-MAY-01
N	MIL-PRF-19500/672	SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, NPN, SILICON, SWITCHING, TYPE 2N2222AUE1 JAN, JANTX, JANJ[CUST: CR NW 11 CC NA]	A	5961		CC	30-APR-01
N	MIL-PRF-19500/673	SEMICONDUCTOR DEVICE, FIELD EFFECT RADIATION HARDENED (TOTAL DOSE AND SINGLE EVENT EFFECTS) TRANSISTOR, N-CHANNEL, SILICON TYPES 2N7468U2 AND 2N7469U2 JANTXVR, F, G AND H AND JANSR, F, G AND H[CUST: CR NW 11 CC NA]	A	5961		CC	09-MAR-01
N	MIL-PRF-19500/686	SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, PNP, SILICON, SWITCHING, TYPE 2N2907AUE1 JAN, JANTX, JANJ[CUST: CR NW 11 CC NA]	A	5961		CC	30-APR-01
N	MIL-PRF-19500/694	SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, NPN, SILICON, SWITCHING, TYPE 2N3700UE1 JAN, JANTX, JANJ[CUST: CR NW 11 CC NA]	A	5961		CC	30-APR-01
N	MIL-PRF-19500/695	SEMICONDUCTOR DEVICE, TRANSISTOR, PLASTIC, PNP, SILICON, SWITCHING, TYPE 2N4033UE1 JAN, JANTX, JANJ[CUST: CR NW 11 CC NA]	A	5961		CC	30-APR-01
M	MIL-I-28791/1A(1) NOT 1	ISOLATOR, RADIO FREQUENCY, COAXIAL[CUST: CR EC 11] [REVIEW: 99 AS MC OS SH]	A	5985		CC	10-MAY-01
M	MIL-M-28837/5A NOT 1	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, SMA FEMALE CONNECTORS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5985		CC	10-MAY-01
M	MIL-M-28837/6 NOT 1	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, BNC FEMALE CONNECTORS[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5985		CC	10-MAY-01
M	MIL-M-28837/9 NOT 1	MIXER STAGES, RADIO FREQUENCY, DOUBLE BALANCED, TO CONFIGURATION[CUST: CR EC 11] [REVIEW: 19 99 AR AS CG MC MI OS]	A	5985		CC	10-MAY-01
M	MIL-PRF-83532B(2) SUP 1	DELAY LINES, ACTIVE, GENERAL SPECIFICATION FOR[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	18-MAY-01
N	NEMA-WC27500	CABLE, AEROSPACE AND INDUSTRIAL ELECTRIC, STANDARD FOR[CUST: CR AS 11 CC] [REVIEW: 99 AR MI]	A	6145		CC	16-APR-01
M	MIL-W-15805F(4)	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B[CUST: AS] [REVIEW: GS]	A	6660		AS	30-APR-01
M	MIL-W-22900A(3)	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F[CUST: AS]	A	6660		AS	16-APR-01
M	A-A-20126D	FLOUR[CUST: GL SA 50] [REVIEW: MC MD QM SS]	A	8920	#	FV	30-SEP-98
M	ISO9000	QUALITY MANAGEMENT SYSTEMS - FUNDAMENTALS AND VOCABULARY[CUST: AR OS 05] [REVIEW: 10 23 AS AV CR DH EC GL ME SA SH TD]	A	QCIC		05	2000
M	ISO9001	QUALITY MANAGEMENT SYSTEMS - REQUIREMENTS[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD]	A	QCIC		05	2000
M	ISO9004	QUALITY MANAGEMENT SYSTEMS - GUIDELINES FOR PERFORMANCE IMPROVEMENTS[CUST: AR OS 05] [REVIEW: 10 23 AS AV CR DH EC GL ME SA SH TD]	A	QCIC		05	2000
M	SD-1	STANDARDIZATION DIRECTORY[CUST: AM NM 01 DH SO]	A	SDMP		SO	01-MAY-01

INACTIVE SECTION

DODISS NOTICE

DOCUMENT NUMBER	DOCUMENT TITLE	Distribution	FSC/Area	MCA	Prep. Acty	Date
M MIL-C-48161B(3) NOT 1	CARTRIDGE, IGNITION, 702 PARTS FOR[CUST: AR]	A	1310		AR	27-MAR-01
M MIL-C-71189(3) NOT 1	CARTRIDGE, 81MM, INFRARED ILLUMINATING, XM816, LOADING, ASSEMBLING, AND PACKING[CUST: AR]	A	1315		AR	12-APR-01
M QPL-7905-52 NOT 1	CYLINDERS, STEEL, COMPRESSED GAS, NON-SHATTERABLE SEAMLESS, 1800 PSI AND 2100 PSI	A	1660		AS	23-APR-01
M QPL-21049-24 NOT 1	COUPLING ASSEMBLIES, QUICK DISCONNECT, AIRCRAFT LIQUID OXYGEN SYSTEMS	A	1660		AS	23-APR-01
M QPL-5091-2 NOT 1	TRANSMISSION, POWER, CONSTANT RATIO, GENERAL SPECIFICATION (AIRCRAFT USE)	A	1680		AS	23-APR-01
M QPL-23622-5 NOT 1	ACTUATOR, ELECTRO-MECHANICAL, LINEAR, DIRECT CURRENT, GENERAL SPECIFICATION FOR	A	1680		AS	23-APR-01
M QPL-25162-15 NOT 1	COUPLING, RECEPTION, FLIGHT PRESSURE REFUELING TYPE MA-2	A	1680		AS	23-APR-01
M QPL-19844-19 NOT 1	LEAD, SHIELDED, DETACHABLE IGNITION	A	2925		AS	14-MAY-01
M QPL-7780-12 NOT 1	STARTER, ELECTRIC, CONSTANT CURRENT, DC	A	2990		AS	23-APR-01
M MIL-V-81722A(2) NOT 1	VALVE, INFLATION, LIFE RAFT, FLU-6/P[CUST: AS]	A	4220		AS	04-MAY-01
M MIL-R-81574(2) NOT 2	RESCUE HAND TOOL, PNEUMATIC[CUST: AS] [REVIEW: GS]	A	4240		AS	07-MAY-01
M WW-S-2739 NOT 1	STRAINERS, SEDIMENT: PIPELINE, WATER, AIR, GAS, OIL, OR STEAM[CUST: AT SH 99 CC] [REVIEW: 71 CE CG MC SA]	A	4730	/	CC	21-MAR-01
M MIL-R-55182/11D	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR51[CUST: CR EC]	A	5905		CC	04-MAY-01
M MIL-R-55182/12D	RESISTORS, FIXED, FILM, ESTABLISHED RELIABILITY STYLE RNR56[CUST: CR EC CC]	A	5905		CC	04-MAY-01
M MIL-M-38510/152B(1)	MICROCIRCUITS, DIGITAL, TTL, DATA DECODERS/DEMULTIPLEXERS, MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 AS CG HD MC MI SH SM TD]	A	5962		CC	02-MAY-01
M MIL-M-38510/250 NOT 2	MICROCIRCUITS, DIGITAL, CMOS, 512 X 9 BIT, FIRST IN - FIRST OUT DUAL PORT MEMORY (FIFO), MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AR AS CG HD MC MI SH SM TD]	A	5962		CC	01-MAY-01
M MIL-M-38510/260 NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, CMOS 8K X 8 BIT, ELECTRICALLY ERASABLE, PROGRAMMABLE READ-ONLY MEMORY (EEPROM) MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI OS SH TD]	A	5962		CC	01-MAY-01
M MIL-M-38510/261 NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, CMOS 32K X 8-BIT, ELECTRICALLY ERASABLE PROGRAMMABLE READ-ONLY MEMORY (EEPROM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	01-MAY-01
M MIL-M-38510/289(2) NOT 2	MICROCIRCUITS, DIGITAL, CMOS 4096 BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR NW 11 CC] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	01-MAY-01
M MIL-M-38510/291A NOT 2	MICROCIRCUITS, DIGITAL, CMOS 16,384-BIT STATIC RANDOM ACCESS MEMORY (RAM) MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	01-MAY-01
M MIL-M-38510/292 NOT 2	MICROCIRCUITS, DIGITAL, CMOS, 65,536-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAY-01
M MIL-M-38510/293A(1) NOT 2	MICROCIRCUITS, MEMORY, DIGITAL, CMOS, 262,144-BIT STATIC RANDOM ACCESS MEMORY (SRAM), MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAY-01
M MIL-M-38510/400A NOT 2	MICROCIRCUITS, DIGITAL, N-CHANNEL, SILICON-GATE MONOLITHIC 8 BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAY-01
M MIL-M-38510/421A NOT 2	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, INPUT/OUTPUT PORT WITH THREE-STATE OUTPUT, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAY-01
M MIL-M-38510/422A NOT 2	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, CLOCK GENERATOR AND DRIVER, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	03-MAY-01
M MIL-M-38510/423A NOT 2	MICROCIRCUITS, DIGITAL, SCHOTTKY TTL, SYSTEM CONTROLLER AND BUS DRIVER, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	08-MAY-01
M MIL-M-38510/441A NOT 2	MICROCIRCUITS, DIGITAL, LOW POWER SCHOTTKY TTL, BUS TRANSCEIVER, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	08-MAY-01
M MIL-M-38510/442A NOT 2	MICROCIRCUITS, DIGITAL, SCHOTTKY, TTL, D-TYPE REGISTER, WITH THREE-STATE OUTPUT, MONOLITHIC SILICON[CUST: CR NW 11 CC NA] [REVIEW: 03 19 99 AS CG HD MC MI SH SM TD]	A	5962		CC	08-MAY-01
M MIL-M-38510/470A NOT 1	MICROCIRCUITS, DIGITAL, CMOS MONOLITHIC 8-BIT MICROPROCESSOR (FIXED INSTRUCTION)[CUST: CC NA]	A	5962		CC	08-MAY-01
M MIL-M-38510/473A NOT 1	MICROCIRCUITS, DIGITAL, CMOS, MONOLITHIC 8-BIT INPUT/OUTPUT PORT[CUST: CC NA]	A	5962		CC	08-MAY-01
M MIL-M-38510/653A(3) NOT 1	MICROCIRCUITS, DIGITAL, HIGH SPEED, CMOS FLIP-FLOPS, MONOLITHIC SILICON, POSITIVE LOGIC[CUST: CR NW 11 CC NA] [REVIEW: 19 99 AR AS CG MC MI OS SH SM TD]	A	5962		CC	05-MAY-01
M QPL-50884-48	PRINTED WIRING BOARD, FLEXIBLE AND RIGID-FLEX, GENERAL SPECIFICATION FOR	A	5998		CC	04-MAY-01
M QPL-55110-56	PRINTED WIRING BOARD, RIGID, GENERAL SPECIFICATION FOR	A	5998		CC	04-MAY-01
M QPL-22075-17 NOT 1	INDICATOR, BEARING-DISTANCE-HEADING ID 663D/U	A	6605		AS	23-APR-01
M MIL-I-22126B(3) NOT 1	INDICATOR, TORQUEMETER, ENGINE, TURBOPROP[CUST: AS]	A	6620		AS	16-APR-01
M MIL-DTL-3628/57G	BADGE, OCCUPATIONAL, AIR TRAFFIC CONTROLLER, AIR FORCE[CUST: IH 11] [REVIEW: 99 CT]	A	8455		IH	01-MAY-01
N MIL-DTL-3943/282	MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO), YUGOSLAVIA[CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	01-MAY-01
N MIL-DTL-3943/283	MEDAL, NORTH ATLANTIC TREATY ORGANIZATION (NATO), KOSOVO[CUST: IH NU 11] [REVIEW: 99 CT MC]	A	8455		IH	01-MAY-01
M MIL-DTL-11132/5G	INSIGNIA, GARRISON CAP, JUNIOR DIVISION AND BASIC COURSE, SENIOR DIVISION, ROTC AND INSIGNIA, SERVICE CAP, BASIC COURSE, SENIOR DIVISION, ROTC, ARMY[CUST: IH] [REVIEW: CT]	A	8455		IH	01-MAY-01
N MIL-DTL-14657	SHOULDER CORD, JUNIOR ROTC, ARMY[CUST: IH] [REVIEW: CT]	A	8455		IH	04-MAY-01
M MIL-V-22272D(2) NOT 2	VISORS, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET[CUST: AS]	A	8475		AS	30-APR-01
M MIL-H-85047A(3) NOT 1	HELMET ASSEMBLY, HGU-34/P[CUST: AS]	A	8475		AS	30-APR-01
M L-P-511(1) NOT 2	PLASTIC SHEET, LAMINATED, THERMOSETTING, COTTON FABRIC BASE, PHENOLIC-RESIN, POST-FORMING[CUST: MR AS 11] [REVIEW: AR CR]	A	9330	/	AS	19-APR-01

CANCELED SECTION

DODISS NOTICE

Last Action			Distribution	FSC/Area	MCA	Prep. Acty	Date
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-N-246B(13) NOT 1	NITROGLYCERIN (NO S/S DOCUMENT)[CUST: OS]	A	1376		OS	24-APR-01
M	QPL-19496-17 NOT 1	LIFEBOAT, CO2 INFLATABLE, MARK 5 MOD 1, 15-PERSON CAPACITY (NO S/S DOCUMENT)	A	1940		SH	10-APR-01
M	MIL-C-52717D NOT 2	COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION (NO S/S DOCUMENT)[CUST: CR4 99] [REVIEW: 71 GS]	A	4130		CR4	08-MAY-01
M	QPL-52717-4 NOT 1	COMPRESSOR, HERMETIC, FOR AIR CONDITIONER APPLICATION (NO S/S DOCUMENT)	A	4130		CR4	08-MAY-01
M	QPL-81722-14 NOT 1	VALVE, INFLATION, LIFE RAFT, FLU-6/P (NO S/S DOCUMENT)	A	4220		AS	07-MAY-01
M	QPL-81574-12 NOT 1	RESCUE HAND TOOL, PNEUMATIC (NO S/S DOCUMENT)	A	4240		AS	07-MAY-01
M	MS39189E NOT 1	TEE, PIPE TO TUBE, FEMALE PIPE END ON RUN, MALE PIPE END ON BRANCH, FOR AIR LINES, SPHERICAL SLEEVE (S/S BY SAE-J246)[CUST: AV MC CC] [REVIEW: AT SA]	A	4730		CC	12-JAN-01
M	QPL-2678-21 NOT 1	BRUSHES, WIRE, BOILER TUBE, EXPANDING TYPE FOR USE WITH ELECTRIC AND MOTOR DRIVEN BOILER TUBE CLEANING OUTFITS, AND FIXED SECTIONAL HAND TYPE (NO S/S DOCUMENT)	A	5120		SH	10-APR-01
M	DS14489 NOT 2	CLAMP, LOOP, METAL, PLAIN, SUPPORT, AIRCRAFT, METRIC (S/S BY SAE-MA14489)[CUST: AR 99 IS] [REVIEW: 82 AV CR EC MC MI OS SH]	A	5340		IS	07-MAY-01
M	MS27120A NOT 1	CLEVIS, ROD ENG&TURNBUCKLE (GENERAL PURPOSE) (S/S BY NASM27120)[CUST: AR IS] [REVIEW: AT AV CR CR4 MC]	A	5340		IS	09-MAY-01
M	MIL-S-19500/232B(3) NOT 1	SEMICONDUCTOR DEVICE, DIODE, SILICON, MIXER TYPES 1N21WE, 1N21WEM, AND 1N21WEMR (S/S BY DSCC DWG 00005)[CUST: CR NW 11 CC] [REVIEW: 19 99 AR AS CG MC MI SM]	A	5961		CC	30-APR-01
M	MIL-M-38527/8B NOT 3	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, .002, .005, AND .010 INCH THICK (S/S BY MIL-I-49466/1 & MIL-I-49466/2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	11-MAY-01
M	MIL-M-38527/9A NOT 3	MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, HARDWARE FOR MOUNTING (S/S BY MIL-I-49466/1 AND MIL-I-49466/2)[CUST: CR EC 11 CC] [REVIEW: 19 99 AS CG MC SH]	A	5999		CC	11-MAY-01
M	MIL-DTL-27500H(1) NOT 1	CABLE, POWER, ELECTRICAL AND CABLE SPECIAL PURPOSE, ELECTRICAL SHIELDED AND UNSHIELDED, GENERAL SPECIFICATION FOR (S/S BY NEMA-WC27500)[CUST: CR AS 11 CC] [REVIEW: 99 AR MI]	A	6145		CC	16-APR-01
M	J-C-580B(3) NOT 2	CORD, ELECTRICAL AND WIRE, ELECTRICAL (0- TO 600- VOLT SERVICE) (S/S BY UL62)[CUST: CR YD 11 CC] [REVIEW: AT AV CR4 MC OS SH]	A	6145	/	CC	20-APR-01
M	A-A-54087 NOT 1	HYDROXYZINE PAMOATE CAPSULES, USP (NO S/S DOCUMENT)[CUST: MD MS 03 MB]	A	6505	/	MB	09-MAR-01
M	A-A-30166 NOT 1	INDICATOR, STERILIZATION, BACTERIAL SPORE (FLASH CYCLES) (NO S/S DOCUMENT)[CUST: MD MS 03 DM]	A	6530	/	DM	04-MAY-01
M	A-A-30171 NOT 1	CUSHION, WHEELCHAIR SEAT (NO S/S DOCUMENT)[CUST: MD MS 03 DM]	A	6530	/	DM	04-MAY-01
M	QPL-22126-7 NOT 1	INDICATOR, TORQUEMETER, ENGINE, TURBOPROP (NO S/S DOCUMENT)	A	6620		AS	16-APR-01
M	A-A-50177 NOT 1	PAPER, LENS (NO S/S DOCUMENT)[CUST: GL MS 99 DM] [REVIEW: AR CR4 EA MD MI OS]	A	6640	/	DM	04-MAY-01
M	A-A-53464 NOT 1	BOTTLE, ASPIRATOR (GLASS) (NO S/S DOCUMENT)[CUST: MD MS 03 DM]	A	6640	/	DM	04-MAY-01
M	QPL-15805-15 NOT 1	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE B (NO S/S DOCUMENT)	A	6660		AS	30-APR-01
M	QPL-22900-10 NOT 1	WIND DIRECTION AND WIND SPEED INDICATING EQUIPMENT, TYPE F (NO S/S DOCUMENT)	A	6660		AS	16-APR-01
M	MIL-S-322C(11) NOT 1	SODIUM NITRATE (NO S/S DOCUMENT)[CUST: OS]	A	6810		OS	24-APR-01
M	A-A-2904 NOT 1	THINNER, PAINT, MINERAL SPIRITS, REGULAR AND ODORLESS (S/S BY MIL-PRF-680)	A	8010	#	FSS	20-MAR-01
M	A-A-2994 NOT 1	PRIMER COATING, INTERIOR, FOR WALLS AND WOOD (NO S/S DOCUMENT)	A	8010	#	FSS	20-MAR-01
M	A-A-3183 NOT 1	PAINT, LATEX, EXTERIOR, (FOR WOOD AND MASONRY) (NO S/S DOCUMENT)	A	8010	#	FSS	22-MAR-01
M	QPL-22272-12 NOT 1	VISOR, NEODYMIUM LASER, PROTECTIVE FOR AIRCREWMAN'S HELMET (NO S/S DOCUMENT)	A	8475		AS	30-APR-01
M	QPL-85047-7 NOT 1	HELMET ASSEMBLY, HGU-34/P (NO S/S DOCUMENT)	A	8475		AS	30-APR-01
M	ISO8402	QUALITY MANAGEMENT AND QUALITY ASSURANCE - VOCABULARY (S/S BY ISO 9000)[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD]	A	QCIC		05	17-APR-01
M	ISO9002	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN PRODUCTION, INSTALLATION AND SERVICING (S/S BY ISO 9001)[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD]	A	QCIC		05	17-APR-01
M	ISO9003	QUALITY SYSTEMS - MODEL FOR QUALITY ASSURANCE IN FINAL INSPECTION AND TEST (S/S BY ISO 9001)[CUST: AR OS 05] [REVIEW: 10 AS AV CR CR4 DH EC GL MC SA SH TD]	A	QCIC		05	17-APR-01
M	ISO9004-1	ELEMENTS, QUALITY MANAGEMENT AND QUALITY SYSTEM - PART 1: GUIDELINES (S/S BY ISO 9004)[CUST: AR OS 05]	A	QCIC		05	17-APR-01